

SPEC SHEET - ES3/MT



## Zip InLine ES

Zip InLine ES3 hand washing pack are complete with an electronic instantaneous water heater, compatible tap and a comprehensive plumbing kit, including flexible hoses and fittings to ensure a quick and easy system installation.



MODEL	ENERGY CLASS (H/C)	MIN/MAX FLOW RATE	NOMINAL POWER RATING KW	DIMENSIONS WXDXH
ES3/MT	А	1.2lpm / 2lpm	2.8 kW @ 230V	187mm x 80mm x 135mm

## Features and benefits

- Compact electronic instantaneous water heater with highly energy efficient bare wire system for economic water supply to a single outlet.
- The innovatively designed appliance heats the water automatically as it flows through, without wasting energy in standby operation.
- The heating power electronically compensates for variable inlet pressures and temperatures.
- Outlet temperature factory set to 38°C, but can be installer adjusted between 30°C to 43°C.
- Intended for use with taps having M22 /M24 nozzles.
- Easy to install and service.



## **Product detail**

Specification type			
Product code	ES3/MT		
Product name	InLine ES3 Hand wash pack single lever mixer tap 2.8kW		
Energy efficiency class	A		
Element type	Bare Wire Heating System		
IP rating	25		
Capacity, weights & dimensions			
Product weight	1.3kg		
Filled Product Weight	1.5kg		
Unit dimensions (W x D x H) mm	187 x 80 x 135		
Electrical			
Nominal power rating	2.8 kW @ 230V		
Nominal power supply	230V		
Nominal rated current	12 amps		
Plumbing			
Wholesome water supply	Yes		
Water connection Size	1/2"bsp		
Min water pressure	0.2bar		
Max water pressure	10bar		
Minimum flow rate I/pm	1.2		
Maximum flow rate I/pm	2		
Temperature increase at maximum flow rate	26.7°C		
Minimum water resistance @ 15oc	>1,100 Ω		
Installation - Plumbing (H/C)	The appliance is intended for connection to the wholesome water supply. It should be installed by a suitably qualified person. The appliance may be used as an unvented installation (as shown in the diagram opposite) or as a vented installation.		



