

SPEC SHEET - ES6/MT



Zip InLine ES

Zip InLine ES6 hand washing pack are complete with an electronic instantaneous water heater, compatible tap and a comprehensive plumbing kit, including flexible hoses and fittings to ensure a quick and easy system installation.



MODEL	ENERGY CLASS (H/C)	MIN/MAX FLOW RATE	NOMINAL POWER RATING KW	DIMENSIONS WXDXH
ES6/MT	A	1.5lpm / 3.3lpm	5.5 kW @ 230V	187mm x 80mm x 135mm

Features and benefits

- Compact electronic instantaneous water heater with highly energy efficient bare wire system for economic water supply to a single outlet.
- The innovatively designed appliance heats the water automatically as it flows through, without wasting energy in standby operation.
- The heating power electronically compensates for variable inlet pressures and temperatures.
- Outlet temperature factory set to 38°C, but can be installer adjusted between 30°C to 43°C.
- Intended for use with taps having M22 /M24 nozzles.
- Easy to install and service.



Product detail

Product code	ES6/MT		
Product name	InLine ES6 Hand wash pack single lever mixer tap 5.5kW		
Energy efficiency class	A		
Element type	Bare Wire Heating System		
IP rating	25		
Capacity, weights & dimensions			
Product weight	1.3kg		
Filled Product Weight	1.5kg		
Unit dimensions (W x D x H) mm	187 x 80 x 135		
Electrical			
Nominal power rating	5.5 kW @ 230V		
Nominal power supply	230V		
Nominal rated current	24 amps		
Plumbing			
Wholesome water supply	Yes		
Water connection Size	1/2"bsp		
Min water pressure	0.65bar		
Max water pressure	10bar		
Minimum flow rate I/pm	1.5		
Maximum flow rate I/pm	3.3		
Temperature increase at maximum flow rate	26.2°C		
Minimum water resistance @ 15oc	>800 Ω		
Installation - Plumbing (H/C)	The appliance is intended for connection to the wholesome water supply. It should be installed by a suitably qualified person. The appliance may be used as an unvented installation (as shown in the diagram opposite) or as a vented installation.		



